ELSEVIER

Journal of Organometallic Chemistry 632 (2001) 227

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 632

Ascenso, J.R., 17, 58, 164, 197
Avilés, T., 113

Braga, S.S., 11

Calhorda, M.J., 1, 94, 175, 197
Carrondo, M.A.A.F.C.T., 107
Carvalho, M.F.N.N., 49
Casimiro, T., 113
Correia, M.J., 58
Costa, P., 197

da Conceição Vieira, M., 126
da Costa, M.R.G., 27
da Gama, V., 67
Damas, A.M., 27
de Azevedo, C.G., 17, 58, 197
de Castro, B., 85
de C.T. Carrondo, M.A.A.F., 197
Dias, A.R., 17, 58, 75, 107, 145, 157, 164, 197
Diogo, H.P., 188
Domingos, Â., 41, 119
Drew, M.G.B., 94, 175, 197
Duarte, M.T., 17, 58, 67, 145, 164

Eleutério, I., 17

Fátima Minas da Piedade, M., 107
Félix, V., 94, 175, 197
Ferreira da Silva, J.L., 58
Ferreira, M.J., 17
Filomena Costa, M., 27
Fonseca, L.P., 94

Gales, L., 27
Galvão, A., 75
Galvão, A.C., 157
Galvão, A.M., 157, 197
Gamelas, C.A., 94
Garcia, M.H., 75, 145
Garcia, R., 41
Gil Santos, A., 94
Godinho, S.S.M.C., 94
Gomes, P.T., 17, 58, 164
Gonçalves, I.S., 11, 94

Helena Garcia, M., 107, 133
Hunstock, E., 94

Jorge Parola, A., 94

Leal, J.P., 209
Lemos, M.A.N.D.A., 49
Lin, G., 119
Liu, H., 175
Lopes, I., 119
Lopes, J.P., 94
Lopes, N., 133
Lourenço, F., 58

Magrinho, M., 27
Marçalo, J., 126
Marcelo Curto, M.J., 27
Marote, J.N., 164
Marques, N., 119, 209
Martinho Simões, J.A., 188
Martins, A.M., 17, 58
Meira, R., 67
Minas da Piedade, M.E., 188
Monteiro, B., 119
Montilla, F., 113

Nunes da Ponte, M., 113

Oliveira, C., 85

Paula Robalo, M., 133
Paulo, A., 41
Pereira, E., 85
Pereira, L.C.J., 67
Piedade, M.F.M., 133, 145
Pillinger, M., 11
Pina, F., 94
Pires de Matos, A., 126
Pombeiro, A.J.L., 215

Rabaça, S., 67
Rangel, M., 85
Ribeiro, A.F.G., 164
Ribeiro-Claro, P., 11
Ricardo, A.A., 113
Robalo, M.P., 145
Rodrigues, J.C., 133
Rodrigues, S.S., 58
Romão, C.C., 1, 94, 197
Romão Dias, A., 133

Santos, I., 41
Stephenson, G.R., 49

Takats, J., 119, 209
Teixeira, A.P.S., 145
Teixeira, C., 188
Teixeira-Dias, J.J.C., 11
Teresa Duarte, M., 133

Veiros, L.F., 3, 49
Villa de Brito, M.J., 75

PII: S0022-328X(01)01136-6

ELSEVIER

Journal of Organometallic Chemistry 632 (2001) 229–232

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 632

Ab initio calculations
Synthesis and characterisation of $[M(\eta^5\text{-}NC_4Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$ depicting an agostic interaction, 157
Synthesis, bonding and dynamic behavior of *fac*-[Mo(II)$(CO)_2(\eta^3$-allyl)] derivatives, 197
Actinide ions
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, 126
Agostic interaction
Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)borate: chemical and structural studies, 41
Synthesis and characterisation of $[M(\eta^5\text{-}NC_4Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$ depicting an agostic interaction, 157
Alkylidyne
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Alkyne
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, 113
Alkynyl
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Allene
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Allyl complexes
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, 175
Allylic complexes
Synthesis, bonding and dynamic behavior of *fac*-[Mo(II)$(CO)_2(\eta^3$-allyl)] derivatives, 197
Amido
Amido- and imido-ethylpyridine titanium complexes. Crystal structure of $\{Ti[NCH_2CH_2py]Cl_2(THF)\}_2$, 17
Amido ligand
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of $[Zr(Ind)_2(NC_3H_6)_2]$, 58
2′-Aminoethyl-2-pyridyl derivatives
Amido- and imido-ethylpyridine titanium complexes. Crystal structure of $\{Ti[NCH_2CH_2py]Cl_2(THF)\}_2$, 17
Aryl
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, 3
Asymmetric synthesis
Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, 27
Benzonitrile derivatives
Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of $[Fe(\eta^5\text{-}C_5H_5)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]\cdot CH_2Cl_2$ and $[Fe(\eta^5\text{-}C_9H_7)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]$, 145
Bimetallic compounds
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, 164
Binuclear
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, 75
Binuclear complexes
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, 175
Bond dissociation enthalpy
Bond dissociation enthalpies of U(IV) complexes. An integrated view, 209
Bond enthalpies
Organometallic thermochemistry at CQE-IST. An overview, 188
Carbonyl
Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)borate: chemical and structural studies, 41
Carbyne
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Chromium
Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, 27
Cobaloximes
Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, 85
Cobalt(II) complexes
Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, 85
Copper
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, 75
$CpCo(CO)_2$
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, 113
Crystal structures
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, 175

PII: S0022-328X(01)01137-8

New studies on the chemical oxidation of bis(η^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of [Mo(η^5-C_5H_5)$_2$S(C_6H_4-*o*-SC_6H_5)][BF_4] and [Mo(η^5-C_5H_5)$_2$(SC_6H_5)$_2$], 107
Samarium(III) compounds supported by the hydrotris(3,5-dimethyl-pyrazolyl)borate ligand: synthetic utility of the putative, reduction prone Sm(III)-hydrocarbyls, '(Tp^{Me_2})$_2$-SmR', 119
Second harmonic generation of η^5-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of [Ru(η^5-C_5H_5)((+)-DIOP)(*p*-$NCC_6H_4NO_2$)][X], X = PF_6^-, $CF_3SO_3^-$ and [Ru(η^5-C_5H_5)((+)-DIOP)($NCCH_3$)][PF_6], 133
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, 164
Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of [Fe(η^5-C_5H_5)(CO)(P(OC_6H_5)$_3$)(*p*-$NCC_6H_4NO_2$)][BF_4]·CH_2Cl_2 and [Fe(η^5-C_9H_7)(CO)(P(OC_6H_5)$_3$)(*p*-$NCC_6H_4NO_2$)][BF_4], 145
Synthesis, structural and magnetic characterization of the metamagnet [Fe(C_5Me_5)$_2$]DMe–DCNQI, 67

Cyanide bridges
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, 94

Cyclic voltammetry
New studies on the chemical oxidation of bis(η^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of [Mo(η^5-C_5H_5)$_2$S(C_6H_4-*o*-SC_6H_5)][BF_4] and [Mo(η^5-C_5H_5)$_2$(SC_6H_5)$_2$], 107

Cycloadditions
Synthesis of chiral (7*R*)-[η^6-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, 27

Cyclodextrins
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, 11

Cyclohexadienyl
Mechanism of the electrochemical reduction of [Fe(η^5-C_6H_7)-($CO)_3$][PF_6] — a theoretical approach to the intermediates, 49

Cyclopentadienyl
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, 164
Synthesis of new donor/acceptor η^5-cyclopentadienyl and η^5-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of [Fe(η^5-C_5H_5)(CO)(P(OC_6H_5)$_3$)(*p*-$NCC_6H_4NO_2$)][BF_4]·CH_2Cl_2 and [Fe(η^5-C_9H_7)(CO)(P(OC_6H_5)$_3$)(*p*-$NCC_6H_4NO_2$)][BF_4], 145

Cyclotrimerisation
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, 113

Decamethylferrocenium
Synthesis, structural and magnetic characterization of the metamagnet [Fe(C_5Me_5)$_2$]DMe–DCNQI, 67

DFT
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, 3

DFT calculations
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, 175
Mechanism of the electrochemical reduction of [Fe(η^5-C_6H_7)-($CO)_3$][PF_6] — a theoretical approach to the intermediates, 49
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, 94

Dynamic NMR
Synthesis, bonding and dynamic behavior of *fac*-[Mo(II)($CO)_2$-(η^3-allyl)] derivatives, 197

Electrochemistry
Mechanism of the electrochemical reduction of [Fe(η^5-C_6H_7)-($CO)_3$][PF_6] — a theoretical approach to the intermediates, 49

Electrophilic addition
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215

ELHB
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, 75

Entropy changes
Organometallic thermochemistry at CQE-IST. An overview, 188

EPR
Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, 85

Ethylene and propylene polymerisation
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of [Zr($Ind)_2$(NC_3H_6)$_2$], 58

Fluorophosphine
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215

FT-ICR/MS
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and Fe-(C_5H_5)$_2$, 126

Gas phase
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and Fe-(C_5H_5)$_2$, 126

Group IV transition metals
Synthesis and characterisation of [M(η^5-NC_4Me_4)(CH_2Ph)$_3$] (M = Ti, Zr, Hf) and [Ti(η^5-NC_4Me_4)(Me)Cl_2]. Structural determination and bonding of [Ti(η^5-NC_4Me_4)(Me)Cl_2] depicting an agostic interaction, 157

Half-sandwich complexes
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of [Zr($Ind)_2$(NC_3H_6)$_2$], 58

Hapticity change
Mechanism of the electrochemical reduction of [Fe(η^5-C_6H_7)-($CO)_3$][PF_6] — a theoretical approach to the intermediates, 49

Host–guest chemistry
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, 11

Hydrotris(pyrazolyl)borate ligands
Samarium(III) compounds supported by the hydrotris(3,5-dimethyl-pyrazolyl)borate ligand: synthetic utility of the putative, reduction prone Sm(III)-hydrocarbyls, '(Tp^{Me_2})$_2$-SmR', 119

Imido
Amido- and imido-ethylpyridine titanium complexes. Crystal structure of {Ti[NCH_2CH_2py]Cl_2(THF)}$_2$, 17

Imine complexes
Synthesis of chiral (7*R*)-[η⁶-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, 27
Indenyl
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, 164
Synthesis of new donor/acceptor η⁵-cyclopentadienyl and η⁵-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of $[Fe(\eta^5\text{-}C_5H_5)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]\cdot CH_2Cl_2$ and $[Fe(\eta^5\text{-}C_9H_7)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]$, 145
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of $[Zr(Ind)_2(NC_3H_6)_2]$, 58
Iron complexes
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, 126
Synthesis of new donor/acceptor η⁵-cyclopentadienyl and η⁵-indenyliron(II) complexes with *p*-benzonitrile derivatives. Crystal structures of $[Fe(\eta^5\text{-}C_5H_5)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]\cdot CH_2Cl_2$ and $[Fe(\eta^5\text{-}C_9H_7)(CO)(P(OC_6H_5)_3)(p\text{-}NCC_6H_4NO_2)][BF_4]$, 145
Kurtz powder SHG
Second harmonic generation of η⁵-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(p\text{-}NCC_6H_4NO_2)][X]$, $X = PF_6^-$, $CF_3SO_3^-$ and $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(NCCH_3)][PF_6]$, 133

β-Lactams
Synthesis of chiral (7*R*)-[η⁶-5-(*N*,*N*-dimethylamino)-7-formyl-1,3-benzodioxole]chromium complex and its application in the synthesis of optically active *cis*-β-lactams, 27
Lanthanide ions
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, 126

Magnetic molecular materials
Synthesis, structural and magnetic characterization of the metamagnet $[Fe(C_5Me_5)_2]$DMe–DCNQI, 67
Mechanism
Mechanism of the electrochemical reduction of $[Fe(\eta^5\text{-}C_6H_7)(CO)_3][PF_6]$ — a theoretical approach to the intermediates, 49
Metallocenes
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, 94
Metal–metal bonds
Gas-phase reactivity of lanthanide and actinide cations with the archetypal organometallic complexes $Fe(CO)_5$ and $Fe(C_5H_5)_2$, 126
Metamagnetism
Synthesis, structural and magnetic characterization of the metamagnet $[Fe(C_5Me_5)_2]$DMe–DCNQI, 67
Molecular orbital calculations
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, 3
Molybdenocene
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, 11
Molybdenocenes
New studies on the chemical oxidation of bis(η⁵-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of $[\overline{Mo(\eta^5\text{-}C_5H_5)_2S(C_6H_4\text{-}o\text{-}SC_6H_5)}][BF_4]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)_2]$, 107
Molybdenum
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, 11
Heptacoordinate dithiophosphate Mo(II) and W(II) complexes: molecular structures of mono and binuclear phosphine complexes, 175
Synthesis, bonding and dynamic behavior of *fac*-$[Mo(II)(CO)_2(\eta^3\text{-allyl})]$ derivatives, 197
Molybdenum biscyclopentadienyl
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, 75

Nickel
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, 164
NLO
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, 3
NLO materials
Second harmonic generation of η⁵-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(p\text{-}NCC_6H_4NO_2)][X]$, $X = PF_6^-$, $CF_3SO_3^-$ and $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(NCCH_3)][PF_6]$, 133
Nonlinear optics
Second harmonic generation of η⁵-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(p\text{-}NCC_6H_4NO_2)][X]$, $X = PF_6^-$, $CF_3SO_3^-$ and $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(NCCH_3)][PF_6]$, 133
Nucleophilic addition
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215

Organometallic electron-transfer salts
Synthesis, structural and magnetic characterization of the metamagnet $[Fe(C_5Me_5)_2]$DMe–DCNQI, 67
Oxidation reactions
New studies on the chemical oxidation of bis(η⁵-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of $[\overline{Mo(\eta^5\text{-}C_5H_5)_2S(C_6H_4\text{-}o\text{-}SC_6H_5)}][BF_4]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)_2]$, 107

Phospha-alkene
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Phospha-alkyne
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Phosphine
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Phosphinedene oxide
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Photolysis
Characterization of the photolysis products of *sec*-butylcobaloximes with imidazole and benzimidazole bases, 85
Poly(mercaptoimidazolyl)borates
Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)-borate: chemical and structural studies, 41

Polynuclear complexes
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, 94
Protonation
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Pyrrolyl
Synthesis and characterisation of $[M(\eta^5\text{-}NC_4Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$ depicting an agostic interaction, 157

Rhenium
Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)-borate: chemical and structural studies, 41
Ring-coupled derivatives
Synthesis and characterisation of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of nickel, 164
Ring slippage
Mechanism of the electrochemical reduction of $[Fe(\eta^5\text{-}C_6H_7)(CO)_3][PF_6]$ — a theoretical approach to the intermediates, 49
Ruthenium
Second harmonic generation of η^5-monocyclopentadienyl ruthenium *p*-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(p\text{-}NCC_6H_4NO_2)][X]$, $X = PF_6^-$, $CF_3SO_3^-$ and $[Ru(\eta^5\text{-}C_5H_5)((+)\text{-DIOP})(NCCH_3)][PF_6]$, 133

Samarium complexes
Samarium(III) compounds supported by the hydrotris(3,5-dimethyl-pyrazolyl)borate ligand: synthetic utility of the putative, reduction prone Sm(III)-hydrocarbyls, '$(Tp^{Me_2})_2$-SmR', 119
Solid-state structures
Experimental and theoretical study of the interaction of molybdenocene dichloride (Cp_2MoCl_2) with β-cyclodextrin, 11
Supercritical CO_2
$CpCo(CO)_2$-catalysed cyclotrimerisation of alkynes in supercritical carbon dioxide, 113

Theoretical studies
Metal–metal interaction in polynuclear complexes with cyanide bridges: synthesis, characterisation, and theoretical studies, 94
Thermochemistry
Organometallic thermochemistry at CQE-IST. An overview, 188
Thiolate-bridged
Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)–copper(I) complexes, 75
Thiolates
New studies on the chemical oxidation of bis(η^5-cyclopentadienyl)dithiolatemolybdenum(IV) complexes. Crystal structures of $[Mo(\eta^5\text{-}C_5H_5)_2S(C_6H_4\text{-}o\text{-}SC_6H_5)][BF_4]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)_2]$, 107
Thiophene
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, 3
Titanium
Amido- and imido-ethylpyridine titanium complexes. Crystal structure of $\{Ti[NCH_2CH_2py]Cl_2(THF)\}_2$, 17
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of $[Zr(Ind)_2(NC_3H_6)_2]$, 58
Tricarbonylmanganese
Thiophene versus aryl coordination in tricarbonylmanganese complexes with interesting non-linear optical properties, 3

Uranium compounds
Bond dissociation enthalpies of U(IV) complexes. An integrated view, 209

Vinyl
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215
Vinylidene
Comparative behaviours of phospha-alkynes and alkynes at electron-rich phosphinic metal centres, 215

X-ray diffraction
Synthesis and characterisation of $[M(\eta^5\text{-}NC_4Me_4)(CH_2Ph)_3]$ (M = Ti, Zr, Hf) and $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$. Structural determination and bonding of $[Ti(\eta^5\text{-}NC_4Me_4)(Me)Cl_2]$ depicting an agostic interaction, 157
Synthesis, bonding and dynamic behavior of *fac*-$[Mo(II)(CO)_2(\eta^3\text{-allyl})]$ derivatives, 197
X-ray diffraction analysis
Rhenium(I) organometallic complexes with novel bis(mercaptoimidazolyl)borates and with hydrotris(mercaptoimidazolyl)-borate: chemical and structural studies, 41

Zirconium
Zirconium indenylamido complexes: synthesis and reactivity: Crystal structure of $[Zr(Ind)_2(NC_3H_6)_2]$, 58